

## **Severe Track IC 1**

### **Lesson 1 References**

- Atkins, N.T., M. Weisman, and L. Wicker, 1998: The influence of preexisting boundaries on supercell evolution. *Monthly Weather Review*, 12, 2910-2927.
- Blanchard, D.O., 1998: Assessing the vertical distribution of convective available potential energy. *Wea. and Forecasting*, 13, 870-877.
- Brooks, H. E., and J. P. Craven, 2002: A database of proximity soundings for significant severe thunderstorms, 1957-1993. *Preprints*, 21st Conf. on Severe Local Storms, San Antonio, TX, Amer. Meteor. Soc., 639-642.
- Bunkers, M. J., B. A. Klimowski, J. W. Zeitler, R. L. Thompson, and M. L. Weisman, 2000: Predicting supercell motion using a new hodograph technique. *Wea. Forecasting*, 15, 61-79.
- Capabilities of Thermodynamic and Kinematic Severe Weather Parameters, WDTB Web page at  
<http://www.wdtb.noaa.gov/resources/IC/svrparams/intro/index.htm>
- COMET, 1995: A Convective Storm Matrix: Buoyancy/shear dependencies. CD-ROM.
- \_\_\_\_\_, 1996: Anticipating Convective Storm Structure and Evolution. CD-ROM.
- Corfidi, S.F., 2003: Cold Pools and MCS Propagation: Forecasting the Motion of Downwind-Developing MCSs. *Weather and Forecasting*, 18, 265-285.
- Craven, J.P., H.E. Brooks and J.A. Hart, 2002: Baseline Climatology of Sounding Derived Parameters Associated with Deep, Moist Convection. *Preprints*, 21st Conf. Severe Local Storms, San Antonio.
- Colby, F. P., 1984: Convective inhibition as a predictor of convection during AVE-SESAME-2. *Mon. Wea. Rev.*, **112**, 2239-2252.
- Colman, B. R., 1990: Thunderstorms above frontal surfaces in environments without positive CAPE. Part I: A Climatology. *Mon. Wea. Rev.*, **118**, 1103-1121.
- Davies, J.M, 2004: Estimations of CIN and LFC associated with tornadic and nontornadic supercells. Accepted for publication in WAF.
- Davies-Jones, R., 1984: Streamwise vorticity: The origin of updraft rotation in supercell storms. *J. Atmos. Sci.*, **41**, 2991-3006.

Dowell, D. C., H. B. Bluestein, 2002: The 8 June 1995 McLean, Texas, storm. part II: Cyclic tornado formation, maintenance, and dissipation. *Mon. Wea. Rev.*, 130, 2649-2670.

Evans, J. S. and C. A. Doswell III, 2001: Examination of Derecho environments using proximity soundings. *Wea. Forecasting*, 16, 329-342.

Gilmore, M. S. , and L. J. Wicker, 1998: The influence of midtropospheric dryness on supercell morphology and evolution, *Mon. Wea. Rev.*, 126, 943-958.

Grant, B.N., 1995: Elevated cold-sector severe thunderstorms: A preliminary study. *National Weather Digest*, Vol. 19, No. 4, 25-31.

Grant, B. N., and R. Prentice, 1996: Mesocyclone Characteristics of Mini Supercell Thunderstorms. *Preprints, 15th Conf. on Weather Analysis and Forecasting*, Norfolk, VA. , American Meteorological Society, 362-365.

Kerr, B.W., and G.L. Darkow, 1996: Storm-relative winds and helicity in tornadic thunderstorm environments. *Wea. Forecasting*, 11, 489-505.

Klemp, J.B., and R. Rotunno, 1983: A study of the tornadic region within a supercell thunderstorm. *J. Atmos. Sci.*, **40**, 359–377.

Maddox, R. A., L.R. Hoxit, and C. F. Chappell, 1980: A study of tornadic thunderstorm interactions with thermal boundaries. *Mon. Wea. Rev.*, **108**, 322-336.

Markowski, P.M., E. N. Rasmussen, J. M. Straka, and D. Dowell, 1997: Observations of low-level baroclinity generated by anvil shadows. *Mon. Wea. Rev.*, 126, 2942-2958.

\_\_\_\_\_, E. N. Rasmussen, J. M. Straka, 1998: The occurrence of tornadoes in supercells interacting with boundaries during VORTEX-95. *Wea. Forecasting*, 13, 852-859.

\_\_\_\_\_, J. M. Straka, E. N. Rasmussen, D. O. Blanchard, 1998: Variability of Storm-Relative Helicity during VORTEX. *Mon. Wea. Rev.*, 126, 2959-2971.

\_\_\_\_\_, J. M. Straka, E. N. Rasmussen, 2002: Direct surface thermodynamic observations within the rear-flank downdrafts of non-tornadic and tornadic supercells. *Mon. Wea. Rev.*, 130, 1692-1721.

McCaull, E. W., and M. L. Weisman, 2000: The sensitivity of simulated storm structure and intensity to variations in the shapes of environment buoyancy and shear profiles. *Mon. Wea. Rev.*, 129, 664-687.

- Moncrief, M. and M. J. Miller, 1976: The dynamics and simulation of tropical cumulonimbus and squall lines. *Quart. J. Roy. Meteor. Soc.*, **102**, 373-394.
- Rasmussen, E. N., and D. Blanchard, 1998: A baseline climatology of sounding-derived supercell and tornado forecast parameters. *Wea and Forecasting*, **13**, 1148- 1164.
- \_\_\_\_\_, and D. O. Blanchard, 2003: Refined supercell and tornado forecast parameters. *Wea. Forecasting*, **18**, 530-535.
- \_\_\_\_\_, S. Richardson, J. Straka, P. Markowski, and D. Blanchard, 1998: The association of significant tornadoes with a baroclinic boundary on 2 June 1995. *Mon. Wea. Rev.*, **128**, 174-191.
- \_\_\_\_\_, J. M. Straka, 1998: Variations in supercell morphology. Part I: Observations of the role of upper-level storm-relative flow. *Mon. Wea. Rev.*, **126**, 2406-2421.
- Richardson, Y.P., 1999: The Influence of horizontal variations in vertical shear and low-level moisture on numerically simulated convective storms. Ph.D. Dissertation, School of Meteorology, University of Oklahoma - Norman, 236 pp.
- Stensrud, D.J., J.V. Cortinas, Jr., and H.E. Brooks, 1997: Discriminating between tornadic and non-tornadic thunderstorms using mesoscale model output. *Wea. Forecasting*, **12**, 613-632.
- Thompson, R.L., 1996: Supercell tornado forecasts derived from Eta model storm-relative winds. Preprints, 18th Conf. on Severe Local Storms, San Francisco, CA, AMS, 362-366.
- \_\_\_\_\_, 1998: Eta model storm-relative winds associated with tornadic and nontornadic supercells. *Wea. Forecasting*, **13**, 125-137.
- \_\_\_\_\_, R. Edwards, J. A. Hart, K. L. Elmore, and P. Markowski, 2003: Close proximity soundings obtained from the Rapid Update Cycle. *Wea. Forecasting*, **18**, 1243-1261.
- TWG, 2002: Tornado Warning Guidance. Web page,  
<http://www.wdtb.noaa.gov/resources/PAPERS/twg02/index.html>
- Wakimoto, R. M., N. T. Atkins, 1996: Observations on the origins of rotation: the Newcastle tornado during VORTEX 94. *Mon. Wea. Rev.*, **124**, 384-407.

\_\_\_\_\_, C. Liu, and H. Cai, 1997: The Garden City, Kansas storm during VORTEX 95. Part I: Overview of the storm's life cycle and mesocyclogenesis. *Mon. Wea. Rev.*, 126, 372-392.

Weisman, M. L., 1993: The Genesis of Severe, Long-Lived Bow Echoes. *J. Atmos. Sci.*, **50**, 645–645.

\_\_\_\_\_, 1992: The Role of Convectively Generated Rear-Inflow Jets in the Evolution of Long-Lived Mesoconvective Systems. *J. Atmos. Sci.*, **49**, 1826–1847.

\_\_\_\_\_. and J. B. Klemp, 1984: The structure and classification of numerically simulated convective storms in directionally varying wind shears. *Mon. Wea. Rev.*, **112**, 2479-2498.

\_\_\_\_\_. and J. B. Klemp, 1982: The dependence of numerically simulated convective storms on vertical wind shear and buoyancy. *Mon. Wea. Rev.*, **110**, 504-520.

Wicker, L. J., and L. Cantrell, 1996: The role of vertical buoyancy distributions in miniature supercells. Preprints, *18th Conf. on Severe Local Storms*, San Francisco, CA, Amer. Met. Soc, 225-229.

Ziegler, C.L., E.N., Rasmussen, T. R. Shepherd, A. I. Watson, and J.M. Straka, 2000: The Evolution of Low-Level Rotation in the 29 May 1994 Newcastle–Graham, Texas, Storm Complex during VORTEX. *Mon. Wea. Rev.*, 129, 1339–1368.